

IN THE CLAIMS:

1. **(Currently Amended)** A fibrous security substrate having for producing documents, said fibrous security substrate including an elongate element partially embedded therein and ~~at least one a~~ discrete aperture extending through the fibrous substrate therethrough and exposing at least a part of the elongate element, wherein at least one edge of the elongate element is exposed in the ~~aperture(s)~~ aperture, a gap being formed between the elongate element and a perimeter of the aperture.

2. **(Original)** A substrate as claimed in claim 1 in which the elongate element bears indicia, images or information.

3. **(Previously Presented)** A substrate as claimed in claim 1 in which the elongate element is wholly or partially metallised.

4. **(Previously Presented)** A substrate as claimed in claim 1 in which the elongate element bears one or more holographic images.

5. **(Previously Presented)** A substrate as claimed in claim 1 in which the elongate element has at least one colour shift areas.

6. **(Previously Presented)** A substrate as claimed in claim 1 in which the elongate element has at least one security embossing.

7. **(Previously Presented)** A substrate as claimed in claim 1 in which the elongate element is printed on one or both sides.

8. **(Previously Presented)** A substrate as claimed in claim 1 in which the elongate element bears a liquid crystal material.

9. **(Previously Presented)** A substrate as claimed in claim 1 in which at least another part of the elongate element is exposed in one or more windows in at least one surface of the substrate.

10. **(Previously Presented)** A document made from a fibrous substrate according to claim 1 comprising at least one aperture.

11. **(Original)** A document as claimed in claim 10 comprising a plurality of apertures.

12. **(Currently Amended)** A document as claimed in claim 10 comprising a security document, ~~such as~~ selected from the group consisting of a banknote, a cheque, a travelers cheque, an identity card, a passport[,] and a bond ~~or the like~~.

13. **(Currently Amended)** A document as claimed in claim 10 in which the document is a non-security document, ~~such as~~ selected from the group consisting of an item of stationery[,] and a label ~~or the like~~.

14. **(Currently Amended)** A document comprising a plurality of sheets which are each made from a fibrous substrate[,] according to claim 1, in which the aperture in each sheet comprises an aperture in an identical location of said plurality of sheets being in register with the aperture in adjacent sheets.

15. **(Currently Amended)** A document comprising a plurality of sheets made from a fibrous substrate according to claim 1 ~~in which each sheet comprises an~~, the aperture in each sheet of said plurality of sheets being in a location offset with respect to the location of the apertures aperture in adjacent sheets.

16. **(Previously Presented)** A document as claimed in claim 10 in which at least a part of an aperture is located along an edge of the document.

17. **(Previously Presented)** A method of making a fibrous substrate as claimed in claim 1 having an elongate element partially embedded therein, comprising the steps of providing drainage restriction areas on a porous support surface, depositing fibres on the porous support surface around the drainage restriction areas to form a first layer, bringing the elongate element to lie in contact with the drainage restriction areas of the support surface, and depositing further paper fibres over the first layer to securely embed segments of the elongate element within the substrate between the drainage restriction areas, said drainage restriction areas being such as to substantially prevent the deposition of fibres thereon before and after the elongate element is laid thereover and to thereby form at least one discrete aperture extending through the fibrous substrate, wherein a width of the elongate element is less than a maximum width of the aperture(s).

18. **(Original)** A method as claimed in claim 17 further comprising the step of forming at least one window in at least one surface of the substrate in which a portion of the elongate element, not including either of its edges, is exposed.

19. **(Cancelled)**

20. **(Cancelled).**

21. **(Cancelled).**